


**High quality matting solutions since 1992**



**ARI-MATTING  
SYSTEMS**



## Ari-Matting Systems

Keeping facilities clean starts from entranceways, through which most of the debris is brought into facilities. Using Ari Entrance mat the dirt can efficiently be removed from shoes and stopped from being carried into facilities. Well planned and efficient entrance mat saves cleaning expenses as well as repairing and maintenance expenses of floor coverings. A correctly measured mat ensures that debris is scraped from shoe soles.

## High quality matting solutions since 1992

[www.arimattingsystems.com](http://www.arimattingsystems.com)

## Ari Wet Area Mat

Due to its smooth surface this mat is especially well suited to locker rooms, washing areas, pool areas, balconies and other wet areas. The smooth surface of the mat makes it comfortable to stand on and easy to wipe clean. The material is flexible which makes it easy to handle and roll for cleaning.

Wet area mat consists of 150mm x 150mm modules, whose material and attachment method is identical to Ari Entrance mat.



A comfortable surface for bare feet is an important feature. The mat must stay in place on a moist surface but it must be easily movable when cleaning the floors.

### Specifications

#### Material

- Plastic and NBR compound
- Tested for mat use
- Designed to endure heavy use
- UV resistant material

#### Product information

- Thickness: 10mm
- Weight (kg/m<sup>2</sup>): 4.8kg
- Colours: Blue, grey, green, beige, red, white and brick red

#### Warranty

2 years warranty from the manufacturer



Basic colours: blue, grey, green, beige, red and white.




## Ari Entrance Mat

Ari Entrance mat is a Finnish product manufactured in Finland, whose quality is ensured by using high-quality raw materials and state-of-the-art production methods. Ari mat is easily rollable from all directions, which makes it easy to handle and clean the dirt from under the mat. The flexible material ensures easy and pleasant handling of the mat when assembling or cleaning. The elastic and adaptable material makes it easy to assemble the mat to unsymmetrical entrances. The mat can be divided into smaller parts by cutting according to patterns. This will make large mats easier to clean and handle.

The mat is especially designed to be placed at the entranceways of shopping malls, markets, office and industry premises as well as apartment buildings. The mat is suited for indoor and outdoor use.

The efficiency of the Ari mat is based on its 1746 bevels/m<sup>2</sup>, which ensure efficient debris removal. The bevels also soften the step thus making the mat comfortable to walk on. Symmetrical surface patterning enables efficiency regardless of direction. Due to material and patterning the mat is never slippery.

The mat consists of 150mm x 150mm modules joined together with a patented attachment method that makes the seams almost invisible. The invisibility of the module seams ensures an elegant and tidy appearance. The modules are attached from all sides leaving no open seams in the mat. The attachment method does not require any special tools, which makes it very easy to fix a damaged mat.



Basic colours: red, black, blue, grey, green and brick red.


The water grooves on the back of the mat allow water to flow freely under the mat and stop moisture from staying in the patterns.

If there is no recess available, the mat can be anchored in place with specially designed anchors.

Module size 50mm x 50mm is designed primarily for forming logos and texts. By combining these logo elements into basic elements a unique, customized look can be formed.



Symmetrical pattern ensures efficiency regardless of direction.



The mat can be anchored into place when needed.



The mat can easily be cut into all shapes.



A chamfer strip can also be used in surface mounting of the mat.



### Specifications

#### Material

- Plastic and NBR compound
- Tested for mat use
- Designed to endure heavy use
- UV resistant material

#### Warranty

2 years warranty from the manufacturer

#### Product information

- Thicknesses: 12.50mm, 16mm, 21mm and 25mm
- Weight (kg/m<sup>2</sup>): 5.2, 6.1, 7.1, 8.1
- Colours 150mm x 150mm: Grey, black, blue, green, red and brick red
- Logo colours 50mm x 50mm: Grey, black, blue, green, red, brick red and yellow



Manufacturer:  
Ari-Matting Systems  
Tuotekatu 9  
15700 Lahti, Finland  
Tel: +358 40 516 2461  
Fax: +358 3 751 0013

[www.arimattingsystems.com](http://www.arimattingsystems.com)



ARI-MATTING  
SYSTEMS

**Distributors information:**