

Ergomat Bloc PUR is one of our most new products. It is often used at checkouts in stores, hotels and at hairdressers. This product is made of a hardwearing toplayer with a covering of polyurethane and a foamed bottom of EPDM. The layers are laminated together with an environmentally-friendly adhesive. This is a very good mat for dry environments where easy cleaning is important.



Unmatched Safety Features

- Beveled edges on all sides
 - They will never curl up, eliminating tripping hazards
- Almost any size and shape, always in one piece
 - No overlapping or worn-out connecting mats, also eliminating tripping hazards

Highest Quality

- High quality raw material only
 - Very good durability and long ergonomic benefits
- Silicone & latex-free
- Not only anti-fatigue, but also true ergonomic benefits
 - Unique ergonomic designs, eliminating and preventing common problems encountered in standing environments stimulating the body to increase blood circulation and alertness that will reduce sick leave, workers' compensation and quality issues.

The Bloc PUR Advantage

- Normal use will not affect the state of the top of the mat; no curling up, swelling, or expanding
- The smooth profile makes it very easy to roll wheels/wagons up and down the mat
- The closed cell / non-porous surface allows for easy wash down / cleaning
- Anti-static properties
- Very easy to clean.

3 - Year Warranty

All Ergomat product lines are conditionally warranted against normal usage* 24 hours a day, 7 days a week. The warranty does not cover damage caused by the mat being dragged or pulled from a heavy load or items being pushed or dragged across the product, such as skids or pallets. The warranty against chemicals, oils, liquids, or other matter differs with the type of mat. Please consult your dealer or an Ergomat Rep to select the correct mat for your environment.

The warranty periods starts from the date of purchase. The warranty only covers the replacement of the product, no direct or indirect costs are covered.

* It is considered normal usage when a person stands or walks on the Ergomat with regular footwear in an environment where the temperature is under 25° C (77° F) and the humidity is below 80%.

ERGOMAT® Bloc PUR



Ergomat Sweden AB
Lastgatan 9, SE-254 64 Helsingborg
Homepage: www.ergomat.se
E-mail: info@ergomat.se
Tfn: +46 (0)42 163600



Ergomat Bloc PUR is one of our most new products. It is often used at checkouts in stores, hotels and at hairdressers. This product is made of a hardwearing toplayer with a covering of polyurethane and a foamed bottom of EPDM. The layers are laminated together with an environmently-friendly adhesive. This is a very good mat for dry environments where easy cleaning is important.

The Bloc PUR Collor Collection

The perception of colour is a personal experience; it is associated with moods and feelings and the belief it can improve mental well-being through the creation of a positive ambience. At home and as well in the workplace, colour choice can bring together all elements of a active and creative mood.

New Ergomat Bloc PUR gives you an extensive choice to create all sorts of design schemes through the availability of a broad spectrum of 16 enticing colours. **Ergomat Bloc PUR** is a high performance, heavy duty ergonomic workplace mat ideally suited for use within the retail, leisure and commercial sectors.

Colour is a choice. It can be elegant and timeless, contemporary and fresh as well as comming with extraordinary ergonomic properties.



Loft White 9931	Rock Salt 9932	Studio Grey 9933	Urban Chic 9934
Cool Breeze 9936	Caramel Blush 9944	Clay Deep 9946	Lilac Essence 9949
Nordic Sky 9937	Lime Crush 9940	Soft Moss 9942	Woodland Green 9941
Marine Blue 9939	Lemon Punch 9947	Red Beacon 9948	Classic Black 9935

ERGOMAT® Bloc PUR



Ergomat Sweden AB
Lastgatan 9, SE-254 64 Helsingborg
Homepage: www.ergomat.se
E-mail: info@ergomat.se
Tfn: +46 (0)42 163600



Properties	Standard	 Bloc PUR
Material	N/A	H-PVC/PUR + Foamed EPDM
Thickness	N/A	3+6 / 3+9 / 3+12 mm
Hardness	PN-80/C-04238	70 +/- 5° ShA
Residual Indentation	ISO-24343-1	≤ 0,10
Abrasion Max	PN-ISO 4649	250 mm ³
Tensile Strength	PN-ISO 37	10 MPa
Tear Strength	PN-ISO 34-1	20 N/mm
Resistance To Chemicals	EN 423	Excellent Chemical Resistance
Slip Resistance	EN 13893	Class DS (Dry Condition)
Castor Chair	EN 425 / ISO 4918	Suitable
Electrical Resistance	EN 1815	Antistatic
Light Fastness	ISO 105-B02	(Method 3) ≥ 6
Working Temperature	N/A	N/A
N/A	N/A	N/A

Resistance Chart

(all the following recommendations are based on use of mats in dry areas, where spillage of liquids is removed shortly after exposure)

	Surface	Back-side
Weak acid	Good	Fair
Strong acid	Fair	Poor
Weak alkalis	Good	Fair
Strong alkalis	Fair	Poor
Organic solvents	Poor	Fair
Alcohols	Fair	Fair
Hydrocarbons	Exellent	Fair
Water	Exellent	Fair
UV radiation	Good	Fair

Cleaning Method

Sweep or Vacuum clean:
in case washing is necessary, wash surface with soapwater (pH range 2 - 9.5). If the backside of the mat gets wet during the washing, the mat must lie upside down until it is dry and all the moisture has gone.

ERGOMAT® Bloc PUR



Ergomat Sweden AB
Lastgatan 9, SE-254 64 Helsingborg
Homepage: www.ergomat.se
E-mail: info@ergomat.se
Tfn: +46 (0)42 163600

